

2018

Langer C, Riehle J, Wuttig H, Dürrwald S, Lange H, Samol A, Frey N, **Wiemer M**. Efficacy of a one-catheter concept for transradial coronary angiography. PLoS One. 2018 Jan 2;13(1):e0189899. doi: 10.1371/journal.pone.0189899. eCollection 2018.

Samol A, Schmidt S, Zeyse M, **Wiemer M**. First successful prevention of cardiopulmonary resuscitation during high-risk percutaneous coronary intervention by use of a pulsatile left ventricular assist device: baptism of fire of the iVAC2L device: a case report. Eur Heart J Case Rep. 2018 Jan 24;2(1):yty005. doi:10.1093/ehjcr/yty005. eCollection 2018 Mar.

Dimitriadis Z, Scholtz S, Scholtz W, **Wiemer M**, Piper C, Ensminger S, Fox H, Horstkotte D, Faber L. Impact of procedure-related conduction disturbances after transcatheter aortic valve implantation on myocardial performance and survival evaluated by conventional and speckle tracking echocardiography. Echocardiography. 2018 May;35(5):621-631. doi: 10.1111/echo.13823. Epub 2018 Feb 13.

Scholtz S, Dimitriadis Z, Vlachojannis M, Piper C, Horstkotte D, **Wiemer M**, Gummert J, Fujita B, Benzinger M, Ensminger SM, Börgermann J, Scholtz W. Transcatheter Aortic Valve Implantation in Nonagenarians: Procedural Outcome and Mid-Term Results. Heart Lung Circ. 2018 Jun;27(6):725-730. doi: 10.1016/j.hlc.2017.05.137. Epub 2017 Jun 15.

Jensen CJ, Richardt G, Tölg R, Erglis A, Skurk C, Jung W, Neumann FJ, Stangl K, Brachmann J, Fischer D, Mehilli J, Rieber J, **Wiemer M**, Schofer J, Sack S, Naber CK. Angiographic and clinical performance of a paclitaxel-coated balloon compared to a second-generation sirolimus-eluting stent in patients with in-stent restenosis: the BIOLUX randomised controlled trial. EuroIntervention. 2018 Nov 20;14(10):1096-1103. doi: 10.4244/EIJ-D-17-01079.

2017

Danzi GB, Piccolo R, Chevalier B, Urban P, Fath-Ordoubadi F, Carrie D, **Wiemer M**, Serra A, Wijns W, Kala P, Stabile A, Goicolea Ruigomez J, Sagic D, Laanmets P, Strupp G, West N; Nobori 2 Investigators. Five-year clinical performance of a biodegradable polymer-coated biolimus-eluting stent in unselected patients. Heart. 2017 Jan 15;103(2):111-116. doi: 10.1136/heartjnl-2016-309283. Epub 2016 Aug 10.

Dimitriadis Z, Scholtz W, Börgermann J, **Wiemer M**, Piper C, Vlachojannis M, Gummert J, Horstkotte D, Ensminger S, Faber L, Scholtz S. Impact of closure devices on vascular complication and mortality rates in TAVI

procedures. Int J Cardiol. 2017 Jan 15. pii: S0167-5273(16)32266-5. doi: 10.1016/j.ijcard.2017.01.088. [Epub ahead of print]

**Wiemer M**, Stoikovic S, Samol A, Dimitriadis Z, Ruiz-Nodar JM, Birkemeyer R, Monsegu J, Finet G, Hildick-Smith D, Tresukosol D, Novo EG, Koolen JJ, Barbato E, Danzi GB; NOBORI 2 investigators. Third generation drug eluting stent Tresukosol D, Novo EG, Koolen JJ, Barbato E, Danzi GB; NOBORI 2 investigators. Third generation drug eluting stent (DES) with biodegradable polymer in diabetic patients: 5 years follow-up. Cardiovasc Diabetol. 2017 Feb 10;16(1):23. doi: 10.1186/s12933-017-0500-3. Erratum in: Cardiovasc Diabetol. 2017 May 4;16(1):59.

Samol A, Schmidt S, Zeyse M, Dürrwald S, **Wiemer M**. First high-risk percutaneous coronary intervention under use of the iVAC2I system in Germany. Future Cardiol. 2017 Mar;13(2):117-123. doi: 10.2217/fca-2016-0064. Epub 2017 Jan 23.

**Wiemer M**, Stojkovic S, Samol A, Dimitriadis Z, Ruiz-Nodar JM, Birkemeyer R, Monsegu J, Finet G, Hildick-Smith D, Tresukosol D, Novo EG, Koolen JJ, Barbato E, Danzi GB; NOBORI 2 investigators. Erratum to: Third generation drug eluting stent (DES) with biodegradable polymer in diabetic patients: 5 years follow-up. Cardiovasc Diabetol. 2017 May 4;16(1):59. doi: 10.1186/s12933-017-0541-7.

Dimitriadis Z, Scholtz W, Ensminger SM, Piper C, Bitter T, **Wiemer M**, Vlachojannis M, Börgermann J, Faber L, Horstkotte D, Gummert J, Scholtz S. Impact of sheath diameter of different sheath types on vascular complications and mortality in transfemoral TAVI approaches using the Proglide closure device. PLoS One. 2017 Aug 24;12(8):e0183658. doi: 10.1371/journal.pone.0183658. eCollection 2017.

## 2016

Langer C, Riehle J, Frey N, **Wiemer M**. Transradial Coronary Angiography-Insights to the One-Catheter Concept. J Interv Cardiol. 2016 Feb;29(1):113-6.

Sorleto M, Wuttig H, Aydilek E, **Wiemer M**. Mismanagement in the arrhythmia recognition algorithm of the LifeVest(®) with consecutive fatal outcome. Herzschrittmacherther Elektrophysiol. 2016 Mar;27(1):57-62.

Schmitz T, Schäufele T, **Wiemer M**. Vorteile der transradialen Herzkatheteruntersuchung. CardioNews 2016;5:42.

**Wiemer M**. Differenzierung von "Misunderstanding" und "Mismanagement". Herzschrittmacherther Elektrophysiol. 2016 May 30. [Epub ahead of print].

Dimitriadis Z, Scholtz S, Ensminger S, **Wiemer M**, Fischbach T, Scholtz W, Piper C, Börgermann J, Bitter T, Horstkotte D, Faber L. Left ventricular adaptation after TAVI evaluated by conventional and speckle-tracking echocardiography. *Int J Cardiol.* 2017 Feb 1;228:633-637. doi: 10.1016/j.ijcard.2016.11.035. Epub 2016 Nov 9.

**Wiemer M.** [Ventricular fibrillation vs dying heart pattern]. *Herzschrittmacherther Elektrophysiol.* 2016 Dec;27(4):417. German. No abstract available.

2015

**Wiemer M**, Danzi GB, West N, Voudris V, Koning R, Hoffmann S, Lombardi M, Mauri J, Babic R, Witherow F. Drug-eluting stents with biodegradable polymer for the treatment of patients with diabetes mellitus: clinical outcome at 2 years in a large population of patients. *Med Devices (Auckl).* 2015 Feb 18;8:153-60.

Langer C, Riehle J, Frey, **Wiemer M**. Catheter stability in transradial coronary angiography: The one-catheter-concept and the impact of performance level in 1,419 patients. *Int J Cardiol.* 2015 Mar 21;187:680-682. doi: 10.1016/j.ijcard.2015.03.322.

Cannon CP, Blazing MA, Giugliano RP, McCagg A, White JA, Theroux P, Darius H, Lewis BS, Ophuis TO, Jukema JW, De Ferrari GM, Ruzyllo W, De Lucca P, Im K, Bohula EA, Reist C, Wiviott SD, Tershakovec AM, Musliner TA, Braunwald E, Califf RM (**Wiemer, M.**) IMPROVE-IT Investigators. Ezetimibe Added to Statin Therapy after Acute Coronary Syndromes. *N Engl J Med.* 2015 Jun 18;372(25):2387-97.

**Wiemer M**, Kottmann T, Starrach M, Horstkotte D, Nölker G. Knowledge of guidelines for anticoagulation management of patients with atrial fibrillation. *Herzschrittmacherther Elektrophysiol.* 2015 Jun;26(2):141-7.

Sorleto M, Dürrwald S, **Wiemer M**. Mesalazine-Induced Myopericarditis in a Patient with a Recent Diagnosis of Crohn's Disease: Apropos of a Case. *Case Rep Cardiol.* 2015;2015:728310. doi: 10.1155/2015/728310. Epub 2015 Jul 21.

2014

Camenzind E, Boersma E, Wijns W, Mauri L, Rademaker-Havinga T, Ordoubadi FF, Suttorp MJ, Al Kurdi M, Steg PG; PROTECT Steering Committee and Investigators (**Wiemer M**). Modifying effect of dual antiplatelet therapy on incidence of stent thrombosis according to implanted drug-eluting stent type. *Eur Heart J.* 2014 Aug 1;35(29):1932-48. 1.

2013

Dimitriadis Z, Scholtz W, Faber L, Börgermann J, Kleikamp G, Horstkotte D, **Wiemer M**. Balloon expandable sheath for transfemoral aortic valve implantation: a viable option for patients with challenging access. J Interv Cardiol. 2013 Feb;26(1):84-9.

Kollum M, Heitzer T, Schmoor C, Brunner M, Witzenbichler B, **Wiemer M**, Hoffmann R, Gutleben KJ, Schultheiss HP, Horstkotte D, Brachmann J, Meinertz T, Bode C, Zehender M; For the FreRace Trial Investigators. Intra-individual head-to-head comparison of Sirolimus®- and Paclitaxel®-eluting stents for coronary revascularization. A randomized, multi-center trial. Int J Cardiol. 2013 Aug 20;167(4):1552-9.

Langer C, Butz T, Mellwig KP, Oepangat E, Freund A, Faber L, Horstkotte D, **Wiemer M**, Van Buuren F. Elite athletes with mitral or aortic regurgitation and their cardiopulmonary capability. Acta Cardiol. 2013 Oct;68(5):475-80.

Dimitriadis Z, **Wiemer M**, Scholtz W, Faber L, Piper C, Bitter T, Messaritakis I, Bullert K, Boergermann J, Kleikamp G, Prinz C, Horstkotte D, Oldenburg O. Sleep-disordered breathing in patients undergoing transfemoral aortic valve implantation for severe aortic stenosis. Clin Res Cardiol (2013) 102:895–903.